

**NUTRI** FEEDS

*The Formula for Success*

***Product manual***  
*Layers*  
*Broilers*  
*Pigs*



# NUTRI FEEDS

*The Formula for Success*

**Feed Director:**

Alwyn Barnard

**National Technical Manager Monogastrics:**

Ernest King

**Technical Managers Monogastrics:**

Inalene Linde (Bloemfontein)

Mannie Taljaard (Viljoenskroon)

Jana Whitehead (Marble Hall)

**National Marketing Manager:**

Helanie van der Sandt

**National Technical Sales Manager:**

Quinton Pretorius

**General Inquiries:**

Nutri Feeds Head Office  
office.nutri@countrybird.co.za  
018 011 8888

## Contents

---

Nutri Products for Layers.....	5
Nutri Products for Broilers .....	17
Nutri Products for Pigs.....	40



# NUTRI FEEDS

*The Formula for Success*

## Nutri Products for Layers

### Contents:

Nutri Products for Layers.....	5
Nutri Lay Pullet Rearing.....	5
1102 Nutri Lay Pullet Starter.....	6
1103 Nutri Lay Pullet Grower.....	7
1104 Nutri Lay Pullet Developer.....	8
1107 Nutri Lay Pullet Pre-Lay.....	9
Nutri Lay Layer Feed Range.....	11
1203 or 1206 Nutri Lay Peak Phase Complete Layer Mash.....	12
1204 or 1207 Nutri Lay Intermediate Phase Complete Layer Mash.....	13
1205 or 1208 Nutri Lay Late Phase Complete Layer Mash.....	14



## Nutri Products For Layers

---

The **NUTRI LAYER** range comprises of a range of rearing products for replacement pullets, as well as a layer mash range.

### **NUTRI LAY** **Pullet Rearing**

This rearing range has specifically been formulated to meet the nutrient requirements of the young replacement pullet during the rearing phase.

The products in the range are specifically designed to:

- Ensure the best weight gain in the pullet that will optimise her genetic potential.
- Provide the pullet with the correct amount of nutrients to ensure that she achieves her potential peak production, as well as sustains production for the rest of the production cycle.

Different feeding programmes for the various phases from day-old up to 18 weeks of age are available. As the hen grows older and her nutrient requirement changes, the feed ration is adjusted to optimally meet her requirements.

**The following feeding programme options can be used:**

<b>Program 1</b>	1102	NUTRI LAY Pullet Starter	0–8 weeks
	1103	NUTRI LAY Pullet Grower	8–18 weeks
<b>Program 2</b>	1102	NUTRI LAY Pullet Starter	0–8 weeks
	1103	NUTRI LAY Pullet Grower	8–15 weeks
	1104	NUTRI LAY Pullet Developer	15–18 weeks
<b>Program 3</b>	1102	NUTRI LAY Pullet Starter	0–8 weeks
	1103	NUTRI LAY Pullet Grower	8–15 weeks
	1107	NUTRI LAY Pullet Pre-Lay	15–18 weeks

## 1102 NUTRI LAY Pullet Starter

This product is used during the starter phase, from day-old to 8 weeks of age. During this period the focus falls on the development of the skeleton.

<b>Product Class</b>	Chick starter feed
<b>Product Name</b>	NUTRI LAY Pullet Starter
<b>Registration Number</b>	V17772 / NFF3416
<b>Feeding programme</b>	
<b>Feed Form</b>	Mash / Crumbles
<b>Days</b>	0 – 8 weke
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	180
<b>Total Lysine (min)</b>	7
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	70
<b>Calcium</b>	8 -12
<b>Phosphate (min)</b>	6

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

### **WARNING:**

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

### **Notes**

---

---

---

---

## 1103 NUTRI LAY Pullet Grower

This product is used during the growth phase, from eight weeks to the point of lay. Should the Pullet Pre-Lay not be used, this product can be used up to the point of lay. During this period the focus is on the hen's growth profile, and on the development of the digestive system.

<b>Product Class</b>	Poultry grower feed
<b>Product Name</b>	NUTRI LAY Pullet Grower
<b>Registration Number</b>	V17773 / NFF3417
<b>Feeding programme</b>	
<b>Feed Form</b>	Mash / Pellets
<b>Days</b>	8 weeks to point of lay
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	150
<b>Total Lysine (min)</b>	6
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	80
<b>Calcium</b>	8 - 15
<b>Phosphate (min)</b>	5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

### WARNING:

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

### Notes

---



---



---

## 1104 NUTRI LAY Pullet Developer

This product is recommended during the final part of the growth phase, from 15 weeks up to the point of lay. Should the body weight profile be heavier than that recommended by the breed standard at 15 weeks, the ration is recommended. The nutrient density is lower in the ration, which enables the producer to control the hen's body weight, and will prevent the hen from becoming overweight.

<b>Product Class</b>	Poultry developer feed
<b>Product Name</b>	NUTRI LAY Pullet Developer
<b>Registration Number</b>	V17774 / NFF3418
<b>Feeding programme</b>	
<b>Feed Form</b>	Mash / Pellets
<b>Days</b>	15 weeks to point of lay
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	120
<b>Total Lysine (min)</b>	4.5
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	100
<b>Calcium</b>	7 - 15
<b>Phosphate (min)</b>	5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

### WARNING:

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk



## 1107 NUTRI LAY Pullet Pre-Lay

This product is used during the late growing phase, from 15 weeks to the point of lay. It is recommended that the Pre-Lay product be used in the feeding programme from 15 weeks. This product has a high nutrient density that is aimed at maintaining the hen's body weight according to the breed standard. Should the hen be much heavier than the breed standard at 15 weeks, the Pullet Developer product should be used. This product has a lower nutrient density and the aim is to control the body weight while preventing the hen from becoming overweight.

<b>Product Class</b>	Poultry developer
<b>Product Name</b>	NUTRI LAY Pullet Pre-Lay
<b>Registration Number</b>	V17775 / NFF3419
<b>Feeding programme</b>	
<b>Feed Form</b>	Mash / Pellets
<b>Days</b>	15 weeks to point of lay
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	120
<b>Total Lysine (min)</b>	4.5
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	100
<b>Calcium</b>	12 -15
<b>Phosphate (min)</b>	4.5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

### **WARNING:**

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk





## 1203 or 1206 NUTRI LAY Peak Phase Complete Layer Mash

This product is recommended for point of lay pullets from point of lay up to 40 weeks of age.

During this phase the pullet is still in a growing phase, but is expected to reach peak production. Therefore it is very important that sufficient nutrients be provided to the hen during this phase.

<b>Product Class</b>	Complete laying feed
<b>Product Name</b>	NUTRI LAY Peak Phase Complete Layer Mash
<b>Registration Number</b>	V18041 / NFF3420
<b>Feeding programme</b>	
<b>Feed Form</b>	Mash / Pellets
<b>Days</b>	Point of lay to 40 weeks
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	150
<b>Total Lysine (min)</b>	6
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	70
<b>Calcium</b>	35 - 45
<b>Phosphate (min)</b>	5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

### Notes

---

---

---

---

## 1204 or 1207 NUTRI LAY Intermediate Phase Complete Layer Mash

This product is recommended for use from 40 weeks up to 60 / 65 weeks of age. During this phase the focus is sustaining the hen's production.

<b>Product Class</b>	Complete laying feed
<b>Product Name</b>	NUTRI LAY Intermediate Phase Complete Layer Mash
<b>Registration Number</b>	V18042 / NFF3421
<b>Feeding programme</b>	
<b>Feed Form</b>	Mash / Pellets
<b>Days</b>	40 to 60/65 weeks
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	150
<b>Total Lysine (min)</b>	6
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	70
<b>Calcium</b>	35 - 45
<b>Phosphate (min)</b>	5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

### Notes

---

---

---

---

---

---

---

## 1205 or 1208 NUTRI LAY Late Phase Complete Layer Mash

This product is recommended for use after 60 weeks of age. Sometimes the egg-price-to-feeding-costs ratio or a shortage of point-of-lay pullets justifies keeping hens for longer than 65 weeks. The lower feeding costs of the product, as well as the fact that the product meets the nutrient requirements of the hen during the late stage of the production, make this the ideal product to use in such situations.

<b>Product Class</b>	Complete laying feed late phase
<b>Product Name</b>	NUTRI LAY Late Phase Complete Layer Mash
<b>Registration Number</b>	V18043 / NFF1073
<b>Feeding programme</b>	
<b>Feed Form</b>	Mash / Pellets
<b>Days</b>	Hens older than 60 weeks
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	130
<b>Total Lysine (min)</b>	5
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	70
<b>Calcium</b>	30 - 45
<b>Phosphate (min)</b>	5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

### Notes

---



---



---



---



# NUTRI FEEDS

*The Formula for Success*

## Nutri Products for Broilers

### Contents:

Nutri Products for Broilers.....	17
Nutri Broiler Bronze .....	17
1401/1405 Nutri Broiler Bronze Starter .....	18
1402/1406 Nutri Broiler Bronze Grower .....	19
1403/1407 Nutri Broiler Bronze Finisher .....	20
Nutri Broiler Silver.....	21
1414/1471 Nutri Broiler Silver Pre-starter .....	22
1415/1472 Nutri Broiler Silver Starter.....	23
1416/1473 Nutri Broiler Silver Grower.....	24
1417/1474 Nutri Broiler Silver Finisher.....	25
Nutri Broiler Gold.....	26
1430 Nutri Broiler Gold Receiver.....	27
1431/1441 Nutri Broiler Gold Pre-Starter.....	28
1432/1442 Nutri Broiler Gold Starter.....	29
1433/1443 Nutri Broiler Gold Grower.....	30
1434/1444 Nutri Broiler Gold Finisher.....	31
1435/1445 Nutri Broiler Gold Post-Finisher .....	32
Nutri Broiler Green.....	33
1420 Nutri Broiler Green Receiver.....	34
1421 Nutri Broiler Green Pre-Starter .....	35
1422 Nutri Broiler Green Starter.....	36
1423 Nutri Broiler Green Grower.....	37
1424 Nutri Broiler Green Finisher .....	38





## Nutri Products for Broilers

---

### NUTRI BROILER BRONZE

- The **NUTRI BROILER BRONZE** range has specifically been formulated for producers who market their broilers in the live market and also has a less intensive production setup.
- The target will be to market heavier birds at an older age.
- This range consist of low-density rations that meet the nutritional needs of the older broiler.
- This range consists of a three-phase feeding programme. To achieve better early growth a pre-starter diet from the NUTRI BROILER SILVER range can be incorporated into the feeding program.
- An anticoccidial and antibiotic growth promoter is included in all the rations. Only products with no withdrawal period is used.
- This range makes provision for rations that may contain protein sources from animal origin, as well as rations where only vegetable protein sources are used.
- The codes for rations with animal protein sources:
  - 1401 – NUTRI BROILER BRONZE STARTER
  - 1402 – NUTRI BROILER BRONZE GROWER
  - 1403 – NUTRI BROILER BRONZE FINISHER
- The codes for rations with vegetable protein sources
  - 1405 – NUTRI BROILER BRONZE STARTER
  - 1406 – NUTRI BROILER BRONZE GROWER
  - 1407 – NUTRI BROILER BRONZE FINISHER

#### Notes

---

---

---

---

---

---

---

---

---

---

**1401/1405 NUTRI BROILER BRONZE Starter**

<b>Product Class</b>	Broiler starter feed
<b>Product Name</b>	NUTRI BROILER BRONZE Starter
<b>Registration Number</b>	V17661 / NFF1072
<b>Feeding programme</b>	
<b>Feed Form</b>	Crumbles / Mash
<b>Days</b>	0 – 21
<b>Intake (g/chick)</b>	1 000
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	200
<b>Total Lysine (min)</b>	12
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	50
<b>Calcium</b>	8 – 12
<b>Phosphate (min)</b>	6

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

**WARNING:**

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

**Notes**

---

---

---

---

---

---

---

**1402/1406 NUTRI BROILER BRONZE Grower**

<b>Product Class</b>	Broiler grower feed
<b>Product Name</b>	NUTRI BROILER BRONZE Grower
<b>Registration Number</b>	V17662 / NFF1075
<b>Feeding programme</b>	
<b>Feed Form</b>	Pellets / Mash
<b>Days</b>	22 – 32
<b>Intake (g/chick)</b>	1 500
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	180
<b>Total Lysine (min)</b>	10
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	60
<b>Calcium</b>	7 – 12
<b>Phosphate (min)</b>	5.5

- \* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- \* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

**WARNING:**

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

**Notes**

---

---

---

---

---

---

---

**1403/1407 NUTRI BROILER BRONZE Finisher**

<b>Product Class</b>	Broiler finisher feed
<b>Product Name</b>	NUTRI BROILER BRONZE Finisher
<b>Registration Number</b>	V17663 / NFF3727
<b>Feeding Programme</b>	
<b>Feed Form</b>	Pellets / Mash
<b>Days</b>	33 – slaughter
<b>Intake (g/chick)</b>	1 000 – 2 000
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	160
<b>Total Lysine (min)</b>	9
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	70
<b>Calcium</b>	6 – 12
<b>Phosphate (min)</b>	5

- \* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- \* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

**WARNING:**

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

**Notes**

---

---

---

---

---

---

---

## NUTRI BROILER SILVER

- The **NUTRI BROILER SILVER** range has been formulated for producers who want to slaughter broilers at a younger age of 35–36 days.
- The range targets more intensive production systems.
- The objective is to achieve better growth rates with a lower feed intake.
- The nutrient composition of the rations meet the requirement of the younger broiler (36 days).
- This range has a four-phase feeding programme. The feeding programme will assist producers who find it difficult to handle more feed phases and/or has other limitations with respect to the size of their chicken house or the number of birds.
- An anticoccidial and antibiotic growth promoter is included in all the rations except the Finisher ration. Provision is made to employ the Finisher ration as a withdrawal feed.
- This range makes provision for rations that may contain protein sources from animal origin, as well as rations where only vegetable protein sources are used.
- The codes of rations with animal protein sources:
  - 1414 – NUTRI BROILER SILVER PRE-STARTER
  - 1415 – NUTRI BROILER SILVER STARTER
  - 1416 – NUTRI BROILER SILVER GROWER
  - 1417 – NUTRI BROILER SILVER FINISHER
- The codes for rations with vegetable protein sources:
  - 1471 – NUTRI BROILER SILVER PRE-STARTER
  - 1472 – NUTRI BROILER SILVER STARTER
  - 1473 – NUTRI BROILER SILVER GROWER
  - 1474 – NUTRI BROILER SILVER FINISHER

### Notes

---

---

---

---

---

---

---

---

## 1414/1471 NUTRI BROILER SILVER Pre-Starter

<b>Product Class</b>	Broiler pre-starter feed
<b>Product Name</b>	NUTRI BROILER SILVER Pre-Starter
<b>Registration Number</b>	V15150
<b>Feeding programme</b>	
<b>Feed Form</b>	Crumbles
<b>Days</b>	0 – 10
<b>Intake (g/chick)</b>	300
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	210
<b>Total Lysine (min)</b>	13
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	50
<b>Calcium</b>	8 – 12
<b>Phosphate (min)</b>	6

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

### WARNING:

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

### Notes

---



---



---



---



---



---

**1415/1472 NUTRI BROILER SILVER Starter**

<b>Product Class</b>	Broiler starter feed
<b>Product Name</b>	NUTRI BROILER SILVER Starter
<b>Registration Number</b>	V15149
<b>Feeding programme</b>	
<b>Feed Form</b>	Crumbles / Pellets
<b>Days</b>	11 – 21
<b>Intake (g/chick)</b>	800
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	200
<b>Total Lysine (min)</b>	12
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	50
<b>Calcium</b>	8 – 12
<b>Phosphate (min)</b>	6

- \* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- \* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

**WARNING:**

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

**Notes**

---

---

---

---

---

---

---

**1416/1473 NUTRI BROILER SILVER Grower**

<b>Product Class</b>	Broiler grower feed
<b>Product Name</b>	NUTRI BROILER SILVER Grower
<b>Registration Number</b>	V15148
<b>Feeding programme</b>	
<b>Feed Form</b>	Pellets
<b>Days</b>	22 – 29
<b>Intake (g/chick)</b>	1 000
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	180
<b>Total Lysine (min)</b>	10
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	60
<b>Calcium</b>	7 – 12
<b>Phosphate (min)</b>	5.5

- \* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- \* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

**WARNING:**

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

**Notes**

---

---

---

---

---

---

---



**1417/1474 NUTRI BROILER SILVER Finisher**

<b>Product Class</b>	Broiler finisher feed
<b>Product Name</b>	NUTRI BROILER SILVER Finisher
<b>Registration Number</b>	V15147
<b>Feeding programme</b>	
<b>Feed Form</b>	Pellets
<b>Days</b>	30 – 36
<b>Intake (g/chick)</b>	1 100
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	160
<b>Total Lysine (min)</b>	9
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	70
<b>Calcium</b>	6 – 12
<b>Phosphate (min)</b>	5

- \* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- \* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

**WARNING:**

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

**Notes**

---

---

---

---

---

---

---

## NUTRI BROILER GOLD

- The **NUTRI BROILER GOLD** range has been specifically formulated for the producer who requires a high growth rate and a lower feed conversion ratio.
- This range targets intensive production units.
- The nutrient composition of the rations provides in the requirements of the younger broiler that will effect a younger slaughter age.
- The range makes provision for a five-phase feeding programme that can be supplemented with a receiver feed should the need arise.
- The higher growth rate and lower feed intake is achieved by the higher nutrient density of the rations.
- An anticoccidial and antibiotic growth promoter is included in all the rations except the Post-Finisher ration. Provision is made to use the Post-Finisher ration as a withdrawal feed.
- This range makes provision for rations that may contain protein sources from animal origin, as well as rations where only vegetable protein sources are used.
- The codes of rations with animal protein sources:
  - 1441 – NUTRI BROILER GOLD PRE-STARTER
  - 1442 – NUTRI BROILER GOLD STARTER
  - 1443 – NUTRI BROILER GOLD GROWER
  - 1444 – NUTRI BROILER GOLD FINISHER
  - 1445 - NUTRI BROILER GOLD POST-FINISHER
- The codes for rations with vegetable protein sources:
  - 1430 – NUTRI BROILER GOLD RECEIVER
  - 1431 – NUTRI BROILER GOLD PRE-STARTER
  - 1432 – NUTRI BROILER GOLD STARTER
  - 1433 – NUTRI BROILER GOLD GROWER
  - 1434 – NUTRI BROILER GOLD FINISHER
  - 1435 – NUTRI BROILER GOLD POST-FINISHER

### Notes

---

---

---

---

---

---

---

## 1430 NUTRI BROILER GOLD Receiver

<b>Product Class</b>	Broiler pre-starter feed
<b>Product Name</b>	NUTRI BROILER GOLD Receiver
<b>Registration Number</b>	V17649
<b>Feeding programme</b>	
<b>Feed Form</b>	Crumbles
<b>Days</b>	0 – 4
<b>Intake (g/chick)</b>	60
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	210
<b>Total Lysine (min)</b>	13
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	50
<b>Calcium</b>	8 – 12
<b>Phosphate (min)</b>	6

- \* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- \* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

### WARNING:

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

### Notes

---



---



---



---



---



---

## 1431/1441 NUTRI BROILER GOLD Pre-Starter

<b>Product Class</b>	Broiler pre-starter feed
<b>Product Name</b>	NUTRI BROILER GOLD Pre-Starter
<b>Registration Number</b>	V17650
<b>Feeding programme</b>	
<b>Feed Form</b>	Crumbles
<b>Days</b>	0 – 15
<b>Intake (g/chick)</b>	600 <sup>#</sup>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	210
<b>Total Lysine (min)</b>	13
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	50
<b>Calcium</b>	8 – 12
<b>Phosphate (min)</b>	6

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

<sup>#</sup> Should 1430 be used, change feed intake for 1431/1441 to 540 g (5 to 15 days).

### WARNING:

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

### Notes

---



---



---



---

**1432/1442 NUTRI BROILER GOLD Starter**

<b>Product Class</b>	Broiler starter feed
<b>Product Name</b>	NUTRI BROILER GOLD Starter
<b>Registration Number</b>	V17651
<b>Feeding programme</b>	
<b>Feed Form</b>	Crumbles / Pellets
<b>Days</b>	16 – 22
<b>Intake (g/chick)</b>	600
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	200
<b>Total Lysine (min)</b>	12
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	50
<b>Calcium</b>	8 – 12
<b>Phosphate (min)</b>	6

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

**WARNING:**

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

**Notes**

---

---

---

---

---

---

---

**1433/1443 NUTRI BROILER GOLD Grower**

<b>Product Class</b>	Broiler grower feed
<b>Product Name</b>	NUTRI BROILER GOLD Grower
<b>Registration Number</b>	V17652
<b>Feeding programme</b>	
<b>Feed Form</b>	Pellets
<b>Days</b>	23 – 28
<b>Intake (g/chick)</b>	800
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	180
<b>Total Lysine (min)</b>	10
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	60
<b>Calcium</b>	7 – 12
<b>Phosphate (min)</b>	5.5

- \* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- \* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

**WARNING:**

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

**Notes**

---

---

---

---

---

---

---

## 1434/1444 NUTRI BROILER GOLD Finisher

<b>Produk Klas</b>	Broiler finisher feed
<b>Produk Naam</b>	NUTRI BROILER GOLD Finisher
<b>Registrasie Nommer</b>	V17653
<b>Feeding programme</b>	
<b>Feed Form</b>	Pellets
<b>Days</b>	29 – 32
<b>Intake (g/chick)</b>	600
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	160
<b>Total Lysine (min)</b>	9
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	70
<b>Calcium</b>	6 – 12
<b>Phosphate (min)</b>	5

- \* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- \* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

### WARNING:

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

### Notes

---



---



---



---



---



---

**1435/1445 NUTRI BROILER GOLD Post Finisher**

<b>Product Class</b>	Broiler post finisher feed
<b>Product Name</b>	NUTRI BROILER GOLD Post Finisher
<b>Registration Number</b>	V17654
<b>Feeding programme</b>	
<b>Feed Form</b>	Pellets
<b>Days</b>	23 – 35
<b>Intake (g/chick)</b>	400
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	160
<b>Total Lysine (min)</b>	9
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	70
<b>Calcium</b>	6 – 12
<b>Phosphate (min)</b>	5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

**WARNING:**

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk

**Notes**

---

---

---

---

---

---

---





## 1420 NUTRI BROILER GREEN Receiver

<b>Product Class</b>	Broiler Pre starter feed
<b>Product Name</b>	NUTRI BROILER GREEN Receiver
<b>Registration Number</b>	V17655
<b>Feeding programme</b>	
<b>Feed Form</b>	Crumbles
<b>Days</b>	0 – 3
<b>Intake (g/chick)</b>	50
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	210
<b>Total Lysine (min)</b>	13
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	50
<b>Calcium</b>	8 – 12
<b>Phosphate (min)</b>	6

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

### Notes

---

---

---

---

---

---

---

---

---

---

## 1421 NUTRI BROILER GREEN Pre-Starter

<b>Product Class</b>	Broiler Pre starter feed
<b>Product Name</b>	NUTRI BROILER GREEN Pre-Starter
<b>Registration Number</b>	V17656
<b>Feeding programme</b>	
<b>Feed Form</b>	Crumbles
<b>Days</b>	4 – 14
<b>Intake (g/chick)</b>	500
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	210
<b>Total Lysine (min)</b>	13
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	50
<b>Calcium</b>	8 – 12
<b>Phosphate (min)</b>	6

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

### Notes

---

---

---

---

---

---

---

---

---

---

## 1422 NUTRI BROILER GREEN Starter

<b>Product Class</b>	Broiler starter feed
<b>Product Name</b>	NUTRI BROILER GREEN Starter
<b>Registration Number</b>	V17657
<b>Feeding programme</b>	
<b>Feed Form</b>	Crumbles / Pellets
<b>Days</b>	15 – 20
<b>Intake (g/chick)</b>	500
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	200
<b>Total Lysine (min)</b>	12
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	50
<b>Calcium</b>	8 – 12
<b>Phosphate (min)</b>	6

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

### Notes

---

---

---

---

---

---

---

---

---

---

**1423 NUTRI BROILER GREEN Grower**

<b>Product Class</b>	Broiler grower feed
<b>Product Name</b>	NUTRI BROILER GREEN Grower
<b>Registration Number</b>	V17658
<b>Feeding programme</b>	
<b>Feed Form</b>	Pellets
<b>Days</b>	21 – 31
<b>Intake (g/chick)</b>	1 400
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	180
<b>Total Lysine (min)</b>	10
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	60
<b>Calcium</b>	7 – 12
<b>Phosphate (min)</b>	5.5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

**Notes**

---

---

---

---

---

---

---

---

---

---

**1424 NUTRI BROILER GREEN Finisher**

<b>Product Class</b>	Broiler finisher feed
<b>Product Name</b>	NUTRI BROILER GREEN Finisher
<b>Registration Number</b>	V17659
<b>Feeding programme</b>	
<b>Feed Form</b>	Pellets
<b>Days</b>	32 – 37
<b>Intake (g/chick)</b>	1 000
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	160
<b>Total Lysine (min)</b>	9
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	70
<b>Calcium</b>	6 – 12
<b>Phosphate (min)</b>	5

- \* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- \* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

**Notes**

---

---

---

---

---

---

---

---

---

---

# NUTRI FEEDS

*The Formula for Success*

## Nutri Products for Pigs

### Contents:

Nutri Products for Pigs.....	40
Rations for Piglets .....	41
2103 Nutri Pig Creep .....	41
2105 Nutri Pig Starter .....	43
Growing Pigs .....	44
2220 Nutri Pig Grower .....	44
2225 Nutri Pig Finisher .....	46
Rations for Sows .....	47
2305 Nutri Pig Dry Sow .....	48
2306 Nutri Pig Lactating Sow .....	50
2307 Nutri Pig Extra Sow Lactating Sow.....	51
Concentrates: Growing Pigs.....	52
2707 Nutri Pig Multigrower Concentrate.....	52
2708 Nutri Pig Lean Grower Concentrate .....	53
Concentrates: Mature Pigs.....	54
2704 Nutri Pig Lactating Sow Concentrate.....	54
2705 Nutri Pig Extra Sow Lactating Sow Concentrate .....	55
2706 Nutri Pig Dry Sow Concentrate.....	56




## Nutri Products for Pigs

**NUTRI PIG's** extensive feeding programmes and the product range are suitable for all stages of production. This allows the opportunity to accommodate a variety of production and management systems. Select a program that matches your objectives and aims to:

- Ensure more efficient production, with a healthier sow **to achieve a production target of 25 marketable pigs per year.**
- Ensure optimum average daily gains (ADG) for piglets to achieve the desired marketable target weight earlier: **70 kg within 120 days (porkers) and 95 kg within 145 days (baconers).**

### Standard feeding programme

- Recommended for pigs with a high genetic growth potential where a four-phase feeding system can be implemented successfully.
- Recommended where piglets are weaned at age 28–35 days.



### Notes

---

---

---

---

---

---

---

---

---

---



## Rations for Piglets

These rations are formulated using high-quality raw materials that will meet the nutrient requirements of the piglets. The young piglet does not have the ability to digest any solids and the ration therefore has a twofold purpose:

- Adapting the piglet to digest solids.
- Allowing the piglet to convert feed efficiently into body mass.

### 2103 NUTRI PIG Creep

**NUTRI PIG** Creep feed is formulated for piglets weaned at 28–35 days. Provide the piglets with access to the Creep feed from as early as seven days of age up until approximately 2 weeks after weaning. Then gradually introduce **NUTRI PIG** Starter.

<b>Product Class</b>	Pig creep feed
<b>Product Name</b>	NUTRI PIG Creep
<b>Registration Number</b>	V13321 / NFF4275
<b>Feeding programme</b>	
<b>Feed Form</b>	Crumbles / Mash
<b>Days</b>	7 days to two weeks after weaning
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	190
<b>Total Lysine (min)</b>	12
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	40
<b>Calcium</b>	8 – 10
<b>Phosphate (min)</b>	6.5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids..

Packaging: 50 kg or in Bulk



## 2105 NUTRI PIG Starter

**NUTRI PIG** Starter feed is formulated for piglets from 50 days of age that have already developed a more mature digestive system.

<b>Product Class</b>	Pig starter feed
<b>Product Name</b>	NUTRI PIG Starter
<b>Registration Number</b>	V13712 / NFF4273
<b>Feeding programme</b>	
<b>Feed Form</b>	Crumbles / Pellets
<b>Days</b>	50 - 80
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	180
<b>Total Lysine (min)</b>	11
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	50
<b>Calcium</b>	7.5 - 10
<b>Phosphate (min)</b>	6.0

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

### Notes

---



---



---



---



---



---



---



---



---

## Growing Pigs

The aim is to achieve the best average daily gain with the lowest possible feed intake. In this way the number of days to market weight is reduced, resulting in more efficient pork production.

### 2220 NUTRI PIG Grower

<b>Product Class</b>	Pig growth feed
<b>Product Name</b>	NUTRI PIG Grower
<b>Registration Number</b>	V13713 / NFF1074
<b>Feeding programme</b>	
<b>Feed Form</b>	Mash / Pellets
<b>Days</b>	80 – 130
<b>Intake (g/pig)</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	150
<b>Total Lysine (min)</b>	8.5
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	80
<b>Calcium</b>	6 – 10
<b>Phosphate (min)</b>	5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

#### Notes

---



---



---



---



## 2225 NUTRI PIG Finisher

<b>Product Class</b>	Pig finisher feed
<b>Product Name</b>	NUTRI PIG Finisher
<b>Registration Number</b>	V13714 / NFF1066
<b>Feeding programme</b>	
<b>Feed Form</b>	Mash / Pellets
<b>Days</b>	130 to slaughter
<b>Intake (g/pig)</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	140
<b>Total Lysine (min)</b>	7
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	80
<b>Calcium</b>	6 – 10
<b>Phosphate (min)</b>	4.5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

### Notes

---

---

---

---

---

---

---

---

---

---

---

## Rations for Sows


### Feeding programme for lactating sows from five days before farrowing

Period	Objective	Ration
<b>Last five days before farrowing</b>	<ul style="list-style-type: none"> <li>• Early milk flow</li> <li>• Lower body pH</li> <li>• Lower risk of infection</li> </ul>	NUTRI PIG Lactating Sow at 2,5 kg/day
<b>Day of farrowing</b>	<ul style="list-style-type: none"> <li>• Decrease the risk of constipation</li> </ul>	NUTRI PIG Lactating Sow at 1,0 kg/day
<b>Two days after farrowing</b>	<ul style="list-style-type: none"> <li>• To prevent rapid mobilisation of reserves</li> </ul>	NUTRI PIG Lactating Sow - Start with 2.5 kg and increase by 1 kg/day
<b>Five days after farrowing up to weaning</b>	<ul style="list-style-type: none"> <li>• Decrease mobilisation of body reserves</li> <li>• More milk for heavier piglets</li> <li>• Higher conception rate</li> </ul>	NUTRI PIG Extra Sow or NUTRI PIG Lactating Sow <i>ad lib</i>
<b>Day of weaning</b>	<ul style="list-style-type: none"> <li>• Wean piglets, and get sow on heat again</li> </ul>	No feed. Water <i>ad lib</i>

This programme will be used when the sows are transferred from the dry sow unit to the lactating sow farrowing unit.

### Feeding programme for mature sows during pregnancy

Period	Objective	Ration
<b>From weaning to first service</b>	<ul style="list-style-type: none"> <li>• Stimulate feeding for improved ovulation</li> </ul>	NUTRI PIG Dry Sow at 3,5–4,5 kg/day
<b>First three weeks of pregnancy</b>	<ul style="list-style-type: none"> <li>• Limited feed intake to reduce risk of embryo mortality</li> </ul>	NUTRI PIG Dry Sow at 2,0–2,5 kg/day
<b>Subsequently up to three weeks before farrowing</b>	<ul style="list-style-type: none"> <li>• Build reserves for good body condition (3,0 – 3,5 out of 5)</li> </ul>	NUTRI PIG Dry Sow at 2–3 kg/day



## 2305 NUTRI PIG Dry Sow

During the period after service up to farrowing, dry sows must be given a Dry Sow ration, at 2,0–2,5 kg feed per day, depending on the condition of the sow. The pregnant sow should increase her bodyweight by about 40 kg during the 114 days of pregnancy. Feeding a sow during pregnancy not only stimulates higher milk production, but has a major impact on the birth weight and liveability of the young piglets. This will result in a considerable reduction in deaths before weaning. Furthermore is the importance of the significant negative relationship that exists between feed intake during pregnancy and the sow's appetite during lactation. The more the sow consumes during pregnancy, the lower her feed intake will be during lactation, and the poorer her condition will be at weaning. It is therefore important that the dry sow does not receive more than 2,5 kg of feed per day.

<b>Product Class</b>	Dry sow and boar feed
<b>Product Name</b>	NUTRI PIG Dry Sow
<b>Registration Number</b>	V13715 / NFF4274
<b>Feeding programme</b>	
<b>Feed Form</b>	Mash / Pellets
<b>Days</b>	Service to farrowing
<b>Intake (g/pig)</b>	Sows – 2 - 2,5 kg/day Boars 2 kg/day
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	120
<b>Total Lysine (min)</b>	5
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	85
<b>Calcium</b>	7.5 – 12
<b>Phosphate (min)</b>	6

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk





## 2306 NUTRI PIG Lactating Sow

The **NUTRI PIG** Lactating Sow feed is a lower energy density feed that will produce similar results to that of **NUTRI PIG** Extra Sow.

<b>Product Class</b>	Lactating sow feed
<b>Product Name</b>	NUTRI PIG Lactating Sow
<b>Registration Number</b>	V13716 / NFF4272
<b>Feeding programme</b>	
<b>Feed Form</b>	Mash / Pellets
<b>Days</b>	Service to farrowing
<b>Intake (g/pig)</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	150
<b>Total Lysine (min)</b>	7.5
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	80
<b>Calcium</b>	8 – 12
<b>Phosphate (min)</b>	6

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

### Notes

---

---

---

---

---

---

---

---

---

---

## 2307 NUTRI PIG Extra Sow Lactating Sow

**NUTRI PIG** Extra Sow is 'n high-fat and high-energy feed for the modern high-producing sow. Fats and oils are the nutrients with the highest energy density and are essential for feeding the modern high-producing sow. The unique composition and high energy density of **NUTRI PIG** Extra Sow have the following benefits:

- Heavier birth weight per litter
- More uniform litters
- Lower mortalities at birth
- Improved milk production with higher fat content of milk
- Improved immunity and survivability of piglets
- Improved weaning weights
- The low heat increment of the ration improves the sow's appetite during lactation
- Effective energy utilisation for milk production and building of body reserves

<b>Product Class</b>	Lactating sow feed
<b>Product Name</b>	NUTRI PIG Extra Sow Lactating Sow
<b>Registration Number</b>	V17975
<b>Feeding programme</b>	
<b>Feed Form</b>	Mash / Pellets
<b>Days</b>	Service to farrowing
<b>Intake (g/pig)</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	150
<b>Total Lysine (min)</b>	7.5
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	80
<b>Calcium</b>	8 – 12
<b>Phosphate (min)</b>	6

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

Packaging: 50 kg or in Bulk

## Concentrates: Growing Pigs

### 2707 NUTRI PIG Multigrower Concentrate

<b>Product Class</b>	Protein concentrate for pig growth feed
<b>Product Name</b>	NUTRI PIG Multigrower Concentrate
<b>Registration Number</b>	V17973
<b>Feeding programme (after mixing)</b>	
<b>Feed Form</b>	Mash
<b>Days</b>	70 – 156
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	360
<b>Total Lysine (min)</b>	25
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	100
<b>Calcium</b>	26.5 – 33.0
<b>Phosphate (min)</b>	15

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

#### To obtain a Pig Grower meal with:

Protein 150 g/kg (min), moisture 120 g/kg (max), fat 25 g/kg (min), fibre 80 g/kg (max), calcium 6 (min) to 10 g/kg (max), phosphorus 5 g/kg (min) and total lysine 8,5 g/kg (min) mixed:

<b>Product</b>	<b>Inclusion</b>
Yellow maize meal (80.0 g/kg (min) protein)	700 kg
Concentrate	300 kg

Packaging: 50 kg or in Bulk

## 2708 NUTRI PIG Lean Grower Concentrate

<b>Product Class</b>	Protein concentrate for pig growth feed
<b>Product Name</b>	NUTRI PIG Lean Grower Concentrate
<b>Registration Number</b>	V17972
<b>Feeding programme (after mixing)</b>	
<b>Feed Form</b>	Mash
<b>Days</b>	78 – 126
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	360
<b>Total Lysine (min)</b>	25
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	100
<b>Calcium</b>	26.5 – 33.0
<b>Phosphate (min)</b>	15

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

### To obtain a Pig Grower meal with:

Protein 150 g/kg (min), moisture 120 g/kg (max), fat 25 g/kg (min), fibre 80 g/kg (max), calcium 6 (min) to 10 g/kg (max), phosphorus 5 g/kg (min) and total lysine 8,5 g/kg (min) mixed:

<b>Product</b>	<b>Inclusion</b>
Yellow maize meal (80.0 g/kg (min) protein)	700 kg
Concentrate	300 kg

Packaging: 50 kg or in Bulk

### Notes

---



---



---

## Concentrates: Mature Pigs

### 2704 NUTRI PIG Lactating Sow Concentrate

<b>Product Class</b>	Protein concentrate for lactating sow meal
<b>Produk Name</b>	NUTRI PIG Lactating Sow Concentrate
<b>Registration Number</b>	V13718
<b>Feeding programme (after mixing)</b>	
<b>Feed Form</b>	Mash
<b>Days</b>	Lactation
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	270
<b>Total Lysine (min)</b>	14
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	136
<b>Calcium</b>	20.8 – 23.4
<b>Phosphate (min)</b>	11.5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

#### To obtain a lactating sow meal with:

Protein 150 g/kg (min), moisture 120 g/kg (max), fat 25 g/kg (min), fibre 80 g/kg (max), calcium 8–12 g/kg (max), phosphate 6 g/kg (min) and total lysine 7,5 g/kg (min) mixed:

Product	Inclusion
Yellow maize meal (80.0 g/kg (min) protein)	600 kg
Concentrate	400 kg

Packaging: 50 kg or in Bulk

## 2705 NUTRI PIG Extra Sow Lactating Sow Concentrate

<b>Product Class</b>	Protein concentrate for lactating sow meal
<b>Product Name</b>	NUTRI PIG Extra Sow Lactating Sow Concentrate
<b>Registration Number</b>	V17974
<b>Feeding programme (after mixing)</b>	
<b>Feed Form</b>	Mash
<b>Days</b>	Lactation
<b>Intake</b>	<i>ad lib</i>
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	200
<b>Total Lysine (min)</b>	11
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	25
<b>Fibre (max)</b>	105
<b>Calcium</b>	13.5 – 20
<b>Phosphate (min)</b>	9.5

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

### To obtain a lactating sow meal with:

Protein 150 g/kg (min), moisture 120 g/kg (max), fat 25 g/kg (min), fibre 80 g/kg (max), calcium 8–12 g/kg (max), phosphate 6 g/kg (min) and total lysine 7,5 g/kg (min) mixed:

<b>Product</b>	<b>Inclusion</b>
Yellow maize meal (80.0 g/kg (min) protein)	400 kg
Concentrate	600 kg

Packaging: 50 kg or in Bulk

## 2706 NUTRI PIG Dry Sow Concentrate

<b>Product Class</b>	Protein concentrate for dry sow meal
<b>Product Name</b>	NUTRI PIG Dry Sow Concentrate
<b>Registration Number</b>	V14407
<b>Feeding programme (after mixing)</b>	
<b>Feed Form</b>	Mash
<b>Days</b>	Service to farrowing
<b>Intake (kg/pig)</b>	Sows – 2 – 2,5 kg/day Boars 2 kg/day
<b>Composition (g/kg)*</b>	
<b>Protein (min)</b>	187.5
<b>Total Lysine (min)</b>	7.45
<b>Moisture (max)</b>	120
<b>Fat (min)</b>	22.5
<b>Fibre (max)</b>	175.0
<b>Calcium</b>	19.7 – 29.7
<b>Phosphate (min)</b>	12.6

\* Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.

\* These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

### To obtain a lactating sow meal with:

Protein 120 g/kg (min), moisture 120 g/kg (max), fat 25 g/kg (min), fibre 85 g/kg (max), calcium 7,5–12 g/kg (max), phosphate 6 g/kg (min) and total lysine 5 g/kg (min) mixed:

Product	Inclusion
Yellow maize meal (80.0 g/kg (min) protein)	600 kg
Concentrate	400 kg

Packaging: 50 kg or in Bulk











*The Formula for Success*

41 Buskus Street,  
Baillie Park,  
Potchefstroom  
018 011 8888  
[www.nutrifeeds.co.za](http://www.nutrifeeds.co.za)

A proud subsidiary of

