

The Formula for Success

Product manual Layers Broilers Pigs



NUTRI

The Formula for Success

Feed Director:

Alwyn Barnard

National Technical Manager Monogastrics:

Ernest King

Technical Managers Monogastrics:

Inalene Linde (Bloemfontein) Mannie Taljaard (Viljoenskroon) Jana Whitehead (Marble Hall)

National Marketing Manager:

Helanie van der Sandt

National Technical Sales Manager:

Quinton Pretorius

General Inquiries:

Nutri Feeds Head Office office.nutri@countrybird.co.za 018 011 8888



Contents

Nutri Products for Layers	5
Nutri Products for Broilers	17
Nutri Products for Pias.	40





The Formula for Success

Nutri Products for Layers

Contents:

Nutri Products for Layers5
Nutri Lay Pullet Rearing5
1102 Nutri Lay Pullet Starter6
1103 Nutri Lay Pullet Grower7
1104 Nutri Lay Pullet Developer8
1107 Nutri Lay Pullet Pre-Lay9
Nutri Lay Layer Feed Range11
1203 or 1206 Nutri Lay Peak Phase Complete Layer Mash12
1204 or 1207 Nutri Lay Intermediate Phase Complete Layer Mash13
1205 or 1208 Nutri Lav Late Phase Complete Laver Mash





Nutri Products For Layers

The **NUTRI LAYER** range comprises of a range of rearing products for replacement pullets, as well as a layer mash range.

NUTRI LAY Pullet Rearing

This rearing range has specifically been formulated to meet the nutrient requirements of the young replacement pullet during the rearing phase.

The products in the range are specifically designed to:

- Ensure the best weight gain in the pullet that will optimise her genetic potential.
- Provide the pullet with the correct amount of nutrients to ensure that she achieves her potential peak production, as well as sustains production for the rest of the production cycle.

Different feeding programmes for the various phases from day-old up to 18 weeks of age are available. As the hen grows older and her nutrient requirement changes, the feed ration is adjusted to optimally meet her requirements.

The following feeding programme options can be used:

Program 1	1102	NUTRI LAY Pullet Starter	0–8 weeks
	1103	NUTRI LAY Pullet Grower	8–18 weeks
Program 2	1102	NUTRI LAY Pullet Starter	0–8 weeks
	1103	NUTRI LAY Pullet Grower	8–15 weeks
	1104	NUTRI LAY Pullet Developer	15–18 weeks
Program 3	1102	NUTRI LAY Pullet Starter	0–8 weeks
	1103	NUTRI LAY Pullet Grower	8–15 weeks
	1107	NUTRI LAY Pullet Pre-Lay	15–18 weeks



1102 NUTRI LAY Pullet Starter

This product is used during the starter phase, from day-old to 8 weeks of age. During this period the focus falls on the development of the skeleton.

Product Class	Chick starter feed		
Product Name	NUTRI LAY Pullet Starter		
Registration Number	V17772 / NFF3416		
Feeding p	rogramme		
Feed Form	Mash / Crumbles		
Days	0 – 8 weke		
Intake	ad lib		
Composition (g/kg)*			
Protein (min)	180		
Total Lysine (min)	7		
Moisture (max)	120		
Fat (min)	25		
Fibre (max)	70		
Calcium	8 -12		
Phosphate (min)	6		

- Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- * These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

WARNING:

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Notes	



1103 NUTRI LAY Pullet Grower

This product is used during the growth phase, from eight weeks to the point of lay. Should the Pullet Pre-Lay not be used, this product can be used up to the point of lay. During this period the focus is on the hen's growth profile, and on the development of the digestive system.

Product Class	Poultry grower feed		
Product Name	NUTRI LAY Pullet Grower		
Registration Number	V17773 / NFF3417		
Feeding p	rogramme		
Feed Form	Mash / Pellets		
Days	8 weeks to point of lay		
Intake	ad lib		
Composition (g/kg)*			
Protein (min)	150		
Total Lysine (min)	6		
Moisture (max)	120		
Fat (min)	25		
Fibre (max)	80		
Calcium	8 - 15		
Phosphate (min)	5		

- Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- * These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

WARNING:

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.

Packaging: 50 kg or in Bulk		
		Notes
_		
_		



1104 NUTRI LAY Pullet Developer

This product is recommended during the final part of the growth phase, from 15 weeks up to the point of lay. Should the body weight profile be heavier than that recommended by the breed standard at 15 weeks, the ration is recommended. The nutrient density is lower in the ration, which enables the producer to control the hen's body weight, and will prevent the hen from becoming overweight.

Product Class	Poultry developer feed		
Product Name	NUTRI LAY Pullet Developer		
Registration Number	V17774 / NFF3418		
Feeding p	rogramme		
Feed Form	Mash / Pellets		
Days	15 weeks to point of lay		
Intake	ad lib		
Composition (g/kg)*			
Protein (min)	120		
Total Lysine (min)	4.5		
Moisture (max)	120		
Fat (min)	25		
Fibre (max)	100		
Calcium	7 - 15		
Phosphate (min)	5		

- * Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- * These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

WARNING:

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.



1107 NUTRI LAY Pullet Pre-Lay

This product is used during the late growing phase, from 15 weeks to the point of lay. It is recommended that the Pre-Lay product be used in the feeding programme from 15 weeks. This product has a high nutrient density that is aimed at maintaining the hen's body weight according to the breed standard. Should the hen be much heavier than the breed standard at 15 weeks, the Pullet Developer product should be used. This product has a lower nutrient density and the aim is to control the body weight while preventing the hen from becoming overweight.

Product Class	Poultry developer		
Product Name	NUTRI LAY Pullet Pre-Lay		
Registration Number	V17775 / NFF3419		
Feeding p	rogramme		
Feed Form	Mash / Pellets		
Days	15 weeks to point of lay		
Intake	ad lib		
Composition (g/kg)*			
Protein (min)	120		
Total Lysine (min)	4.5		
Moisture (max)	120		
Fat (min)	25		
Fibre (max)	100		
Calcium	12 -15		
Phosphate (min)	4.5		

- * Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- * These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

WARNING:

This farm feed contains registered stock remedies. Feed strictly according to the given feeding instructions. See additional stock remedy bag labels for further important information.



IN	lotes



NUTRI LAY Layer Mash Range

The NUTRI LAY Layer Mash range focuses on:

- Providing the hen with sufficient nutrients that will allow the hen to realise her genetic potential.
- · Lower feed conversion for optimal production.

The range is developed to make provision for a phase feeding programme. This enables the producer to meet the hen's nutrient requirements during specific phases in the production cycle.

This range makes provision for rations that may contain protein sources from animal origin, as well as rations where only vegetable protein sources are used.

- The codes of rations with animal protein sources:
 - 1203 NUTRI LAY PEAK PHASE COMPLETE LAYER MASH
 - 1204 NUTRI LAY INTERMEDIATE PHASE COMPLETE LAYER MASH
 - 1205 NUTRI LAY LATE PHASE COMPLETE LAYER MASH
- The codes for rations with vegetable protein sources:
 - 1206 NUTRI LAY PEAK PHASE COMPLETE LAYER MASH
 - 1207 NUTRI LAY INTERMEDIATE PHASE COMPLETE LAYER MASH
 - 1208 NUTRI LAY LATE PHASE COMPLETE LAYER MASH

Notes	



1203 or 1206 NUTRI LAY Peak Phase Complete Layer Mash

This product is recommended for point of lay pullets from point of lay up to 40 weeks of age.

During this phase the pullet is still in a growing phase, but is expected to reach peak production. Therefore it is very important that sufficient nutrients be provided to the hen during this phase.

Product Class	Complete laying feed		
Product Name	NUTRI LAY Peak Phase Complete Layer Mash		
Registration Number	V18041 / NFF3420		
Feeding programme			
Feed Form	Mash / Pellets		
Days	Point of lay to 40 weeks		
Intake	ad lib		
Composition (g/kg)*			
Protein (min)	150		
Total Lysine (min)	6		
Moisture (max)	120		
Fat (min)	25		
Fibre (max)	70		
Calcium	35 - 45		
Phosphate (min)	5		

- Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- * These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

Notes



1204 or 1207 NUTRI LAY Intermediate Phase Complete Layer Mash

This product is recommended for use from 40 weeks up to 60 / 65 weeks of age. During this phase the focus is sustaining the hen's production.

Product Class	Complete laying feed	
Product Name	NUTRI LAY Intermediate Phase Complete Layer Mash	
Registration Number	V18042 / NFF3421	
Feeding programme		
Feed Form	Mash / Pellets	
Days	40 to 60/65 weeks	
Intake	ad lib	
Composition (g/kg)*		
Protein (min)	150	
Total Lysine (min)	6	
Moisture (max)	120	
Fat (min)	25	
Fibre (max)	70	
Calcium	35 - 45	
Phosphate (min)	5	

- Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- * These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

Notes



1205 or 1208 NUTRI LAY Late Phase Complete Layer Mash

This product is recommended for use after 60 weeks of age. Sometimes the egg-price-to-feeding-costs ratio or a shortage of point-of-lay pullets justifies keeping hens for longer than 65 weeks. The lower feeding costs of the product, as well as the fact that the product meets the nutrient requirements of the hen during the late stage of the production, make this the ideal product to use in such situations.

Product Class	Complete laying feed late phase	
Product Name	' ' ' '	
Product Name	NUTRI LAY Late Phase Complete	
	Layer Mash	
Registration Number	V18043 / NFF1073	
Feeding programme		
Feed Form	Mash / Pellets	
Days	Hens older than 60 weeks	
Intake	ad lib	
Composition (g/kg)*		
Protein (min)	130	
Total Lysine (min)	5	
Moisture (max)	120	
Fat (min)	25	
Fibre (max)	70	
Calcium	30 - 45	
Phosphate (min)	5	

- Values indicated are according to registration requirements and the physical composition may either be more than the minimum or less than the maximum values indicated.
- * These products contain the following raw materials: maize products, cereal grains and grain by-products, wheat products, oilseed and oilcake products, soy products, fish products, animal protein products, fat and oil products, vitamins, minerals and amino acids.

Notes