

6301, 9601

(V 17396; NFF 4167)

**NUTRI SKAAP / SHEEP
MAXI 33****NUTRI FEEDS****KLAS: PROTEÏENKONSENTRAAT
VIR VOLLEDIGE SKAAPVOEDSEL****CLASS: PROTEIN CONCENTRATE
FOR COMPLETE SHEEP FEED****SAMESTELLING**
40 kg sak

(g/kg)

COMPOSITION
40 kg bag

| | | |
|--------------------------|----------|--------------------------|
| Proteïen (min)* | 330 | Protein (min)* |
| Kalsium (maks) | 50 | Calcium (max) |
| Fosfor (min) | 5 | Phosphorus (min) |
| Vog (maks) | 120 | Moisture (max) |
| Vesel (min/max) | 80 / 150 | Fibre (min/max) |
| Ammoniumchloried (maks)* | 35 | Ammonium Chloride (max)* |
| Ureum (maks) | 55 | Urea (max) |
| *(Proteïen vanaf NPN) | 64.6% | *(Protein from NPN) |

**Mengverhoudings vir afrond of Ram,
Lam en Ooirantsoen****Mixing Ratios for finishing or Ram,
Lamb and Ewe Ration**

| Produk | (g/kg) | Product |
|-----------------------------------|--------------|-----------------------------------|
| 6301, 9607 Nutri Skaap Maxi 33 | 200 | 6301, 9607 Nutri Sheep Maxi 33 |
| Mielie-meel of graan | 800 | Maize meal or grain |
| TOTAAL | 1 000 | TOTAL |

SAMESTELLING

(g/kg)

COMPOSITION

| | | |
|--------------------------|----------|--------------------------|
| Proteïen (min)* | 130 | Protein (min)* |
| Kalsium (maks) | 10 | Calcium (max) |
| Fosfor (min) | 3 | Phosphorus (min) |
| Vog (maks) | 120 | Moisture (max) |
| Vesel (min/max) | 80 / 150 | Fibre (min/max) |
| Ammoniumchloried (maks)* | 5 | Ammonium Chloride (max)* |
| Ureum (maks) | 12 | Urea (max) |
| *(Proteïen vanaf NPN) | 32.92% | *(Protein from NPN) |

*Ruvoer *ad lib.* beskikbaar* Roughage available *ad lib.***Sien NPN Waarskuwing op bladsy 06.****See NPN Warning on page 07.**

Hierdie produk bevat geregistreerde vee-medikamente. Verwys na die aangehegte sakkaartjie vir die korrekte aanwending van die produk.

This product contains registered veterinary medicaments. Refer to the attached bag label for the correct usage of the product.

Let wel (Namibië en Botswana): Uitvoerformulasies vir die produk bevat geen vee-medikamente nie.

Please note (Namibia and Botswana): Export formulations for the product contain no veterinary medicaments.

AANWYSINGS:

Voer soos bespreek onder **Nutri Skaap Ram, Lam en Ooirantsoen.**

INSTRUCTIONS:

Feed as discussed under **Nutri Sheep Ram, Lamb and Ewe Ration.**

**Mengverhoudings met
Mielies of Kleingrane:**
**Mixing ratios with
Maize or Small Grains:**

| <i>Produk</i> | <i>Volledige Skaaprantsoen Maxi 33 (Gars/Hawer) Complete Sheep Ration Maxi 33 (Barley/ Oats)</i> | <i>Volledige Skaaprantsoen Maxi 33 (Mieliemeel) Complete Sheep Ration Maxi 33 (Maize Meal)</i> | <i>Product</i> |
|--------------------------------|--|--|--------------------------------|
| | <i>kg</i> | <i>kg</i> | |
| 6301, 9607 | | | 6301, 9607 |
| Nutri Skaap Maxi 33 | 120 | 120 | Nutri Sheep Maxi 33 |
| <i>Gars of Hawer</i> | 620 | 0 | <i>Barley or Oats</i> |
| <i>Mieliemeel</i> | 0 | 420 | <i>Maize meal</i> |
| <i>Lusern</i> | 150 | 300 | <i>Lucerne</i> |
| <i>Laegraadse ruvoer</i> | 50 | 50 | <i>Low grade roughage</i> |
| 6331 Nutrimol | 0 | 80 | 6331 Nutrimol |
| TOTAAL | 1 020 | 970 | TOTAL |

SAMESTELLING
(g/kg)
COMPOSITION

| | | |
|---------------------------------|------------------|---------------------------------|
| <i>Proteïen (min)*</i> | 136 | <i>Protein (min)*</i> |
| <i>Kalsium (maks)</i> | 10 | <i>Calcium (max)</i> |
| <i>Fosfor (min)</i> | 3 | <i>Phosphorus (min)</i> |
| <i>Vog (maks)</i> | 120 | <i>Moisture(max)</i> |
| <i>Vesel (min/max)</i> | 110 / 200 | <i>Fibre (min/max)</i> |
| <i>Ammoniumchloried (maks)*</i> | 5 | <i>Ammonium Chloride (max)*</i> |
| <i>Ureum (maks)</i> | 7.8 | <i>Urea (max)</i> |
| <i>*(Proteïen vanaf NPN)</i> | 20.14% | <i>*(Protein from NPN)</i> |

Sien NPN Waarskuwing op bladsy 06.


Hierdie produk bevat geregistreerde vee-medikamente. Verwys na die aangehegte sakkaartjie vir die korrekte aanwending van die produk.

Let wel (Namibië en Botswana): Uitvoerformulasies vir die produk bevat geen vee-medikamente nie.

See NPN Warning on page 07.

This product contains registered veterinary medicaments. Refer to the attached bag label for the correct usage of the product.

Please note (Namibia and Botswana): Export formulations for the product contain no veterinary medicaments.


ALGEMENE AANBEVELINGS:

1. Let daarop dat sekere produkte ureum bevat en daarom streng volgens die voorskrifte op die saketikette gevoer moet word.
2. Aangesien die afrondingsprodukte hoog in energie is, is dit uiters belangrik dat skape oor 'n periode van 14 dae geleidelik aangepas

GENERAL RECOMMENDATIONS:

1. Note that certain products contain urea and therefore should be fed strictly according to the prescriptions on the bag labels.
2. As the finishing products are high in energy, it is vital for sheep to be adapted gradually over a period of 14 days, or as prescribed under



word, of soos onder spesifieke rantsoene beskryf, ten einde rumensteurnisse te voorkom.

3. Dit is wenslik om skape wat afgerond word teen inwendige en uitwendige parasiete of ander siektes te behandel alvorens hulle op die afrondingsrantsoen geplaas word.
4. Onder ingekraalde toestande word 'n vloeroppervlakte van 1 - 2.5 m² per skaap aanbeveel en voerkripspasie van 75 mm per skaap.
5. Ruvoer moet altyd van goeie gehalte wees.
6. Aanpassing: Daar word aanbeveel dat skape vir die eerste twee dae slegs ruvoer ontvang of hulle op veldweiding dik vreet. Daarna moet **BIR Ontvanger** soos voorgeskryf gevoer word, waarna die **BIR-fasevoeding** of een van die vetmestingsrantsoene gegee kan word.

specific rations, to prevent rumen disorders.

3. Sheep being finished should be treated against internal and external parasites and other diseases before they are placed on the finishing ration.
4. Under feedlot conditions a floor area of 1 - 2.5 m² per sheep and feeding trough space of 75 mm per sheep are recommended.
5. Roughage must always be of a good quality.
6. Adaptation: It is recommended that sheep receive only roughage for the first two days, **BIR Receiver** should then be fed as prescribed, followed by either the **BIR phase feed** or one of the fattening rations.